


ホースニップル


材質：C3604 / 単位：mm



品 番	T	D	L1	L2	d	HEX
BHM-02	R1/8	4.0	26.0	12.0	2.0	10
BHM-0203	R1/8	5.6	26.0	12.0	3.0	10
BHM-02A	R1/8	6.0	34.0	20.0	3.0	12
BHM-02B	R1/8	6.5	34.0	20.0	3.5	12
BHM-02C	R1/8	7.0	34.0	20.0	4.0	12
BHM-0204	R1/8	7.2	34.0	20.0	4.0	10
BHM-02D	R1/8	8.0	35.0	21.0	5.0	12
BHM-0205	R1/8	8.8	34.0	20.0	5.5	10
BHM-02E	R1/8	9.0	35.0	21.0	5.0	12
BHM-02F	R1/8	9.5	35.0	21.0	6.0	12
BHM-0206	R1/8	10.4	34.0	20.0	5.5	12
BHM-02G	R1/8	10.5	38.0	24.0	7.0	12
BHM-02H	R1/8	11.0	38.0	24.0	7.5	12
BHM-0402	R1/4	4.0	29.0	12.0	2.0	14
BHM-0403	R1/4	5.6	29.0	12.0	3.0	14
BHM-04A	R1/4	6.0	39.0	23.0	3.0	14
BHM-04B	R1/4	6.5	39.0	23.0	3.5	14
BHM-04C	R1/4	7.0	39.0	23.0	4.0	14
BHM-04	R1/4	7.2	37.0	20.0	4.0	14
BHM-04D	R1/4	8.0	40.0	24.0	4.5	14
BHM-0405	R1/4	8.8	37.0	20.0	5.5	14
BHM-04E	R1/4	9.0	40.0	24.0	5.5	14
BHM-04F	R1/4	9.5	40.0	24.0	6.5	14
BHM-0406	R1/4	10.4	37.0	20.0	7.0	14
BHM-04G	R1/4	10.5	40.0	24.0	7.0	14
BHM-04H	R1/4	11.0	40.0	24.0	7.0	14
BHM-04J	R1/4	12.7	41.0	25.0	8.0	14
BHM-0408	R1/4	13.5	37.0	20.0	8.0	14
BHM-04K	R1/4	14.0	41.0	25.0	8.0	14
BHM-0410	R1/4	16.7	40.0	23.0	8.0	17
BHM-06A	R3/8	6.0	41.0	23.0	3.0	17
BHM-06B	R3/8	6.5	41.0	23.0	3.5	17
BHM-06C	R3/8	7.0	41.0	23.0	4.0	17
BHM-0604	R3/8	7.2	37.0	20.0	4.0	17
BHM-06D	R3/8	8.0	42.0	24.0	4.5	17
BHM-0605	R3/8	8.8	37.0	20.0	5.5	17
BHM-06E	R3/8	9.0	42.0	24.0	5.5	17
BHM-06F	R3/8	9.5	42.0	24.0	6.0	17
BHM-06	R3/8	10.4	37.0	20.0	7.0	17
BHM-06G	R3/8	10.5	43.0	25.0	7.0	17
BHM-06H	R3/8	11.0	43.0	25.0	7.5	17
BHM-06J	R3/8	12.7	46.0	28.0	8.5	17
BHM-0608	R3/8	13.5	37.0	20.0	9.5	17
BHM-06K	R3/8	14.0	46.0	28.0	9.5	17
BHM-06L	R3/8	16.0	46.0	28.0	11.0	17
BHM-0610	R3/8	16.7	40.0	23.0	11.0	17
BHM-0612	R3/8	19.9	44.0	26.0	10.5	21

ホースニップル

材質：C3604 / 単位：mm




品 番	T	D	L1	L2	d	HEX
BHM-0804	R1/2	7.2	40.5	20.0	4.0	21
BHM-08D	R1/2	8.0	45.5	24.0	4.5	22
BHM-0805	R1/2	8.8	40.5	20.0	5.5	21
BHM-08E	R1/2	9.0	45.5	24.0	5.5	22
BHM-08F	R1/2	9.5	45.5	24.0	6.0	22
BHM-0806	R1/2	10.4	40.5	20.0	7.0	21
BHM-08G	R1/2	10.5	46.5	25.0	7.0	22
BHM-08H	R1/2	11.0	46.5	25.0	7.5	22
BHM-08J	R1/2	12.7	49.5	28.0	8.5	22
BHM-08	R1/2	13.5	40.5	20.0	9.5	21
BHM-08K	R1/2	14.0	49.5	28.0	9.5	22
BHM-08L	R1/2	16.0	49.5	28.0	11.5	22
BHM-08I0	R1/2	16.7	43.5	23.0	12.0	21
BHM-08I2	R1/2	19.9	46.5	26.0	15.0	21
BHM-08M	R1/2	20.5	55.5	34.0	14.0	22
BHM-08I6	R1/2	26.2	50.0	28.5	14.0	27
BHM-1206	R3/4	10.4	42.0	20.0	7.0	27
BHM-1208	R3/4	13.5	42.0	20.0	9.5	27
BHM-12K	R3/4	14.0	55.0	30.0	9.5	27
BHM-12L	R3/4	16.0	55.0	30.0	11.5	27
BHM-12I0	R3/4	16.7	45.0	23.0	12.0	27
BHM-12	R3/4	19.9	48.0	26.0	15.0	27
BHM-12M	R3/4	20.5	59.0	34.0	15.0	27
BHM-12I6	R3/4	26.2	50.5	28.5	19.0	27
BHM-12N	R3/4	27.0	67.0	42.0	18.5	27
BHM-1608	R1	13.5	45.5	20.0	9.5	34
BHM-16I2	R1	19.9	54.0	28.5	15.0	34
BHM-16M	R1	20.5	63.0	34.0	15.0	35
BHM-16	R1	26.2	54.0	28.5	20.0	34
BHM-16N	R1	27.0	71.0	42.0	20.0	35
BHM-1620	R1	32.6	54.0	28.5	26.0	34
BHM-16P	R1	34.0	75.0	46.0	24.0	35
BHM-1624	R1	38.9	62.0	28.5	26.0	40
BHM-20I2	R1,1/4	19.9	58.0	28.5	15.0	42
BHM-20I6	R1,1/4	26.2	58.0	28.5	20.0	42
BHM-20	R1,1/4	32.6	58.0	28.5	27.0	42
※ BHM-20P	R1,1/4	34.0	87.5	52.5	26.0	45
BHM-2024	R1,1/4	38.9	58.0	28.5	32.0	42
BHM-24I6	R1,1/2	26.2	58.0	28.5	20.0	48
BHM-2420	R1,1/2	32.6	58.0	28.5	27.0	48
BHM-24	R1,1/2	38.9	58.0	28.5	32.0	48
※ BHM-24R	R1,1/2	40.0	96.0	60.0	32.0	50
※ BHM-32S	R2	52.0	119.5	76.0	42.0	63

※印の付いた製品は材質がBC-6 となります。

ホースニップル (エルボタイプ)


材質：C3771 / 単位：mm



品 番	T	D	L1	L2	L3	d	HEX
BHML-02	R1/8	4.0	18.0	21.5	14.0	2.0	9.5
BHML-0203	R1/8	5.6	18.0	21.5	14.5	3.0	9.5
BHML-0204	R1/8	7.2	18.0	27.0	20.0	4.0	9.5
BHML-0205	R1/8	8.8	18.0	27.0	20.0	5.5	9.5
BHML-0206	R1/8	10.4	18.0	27.0	19.0	5.5	9.5
BHML-04	R1/4	7.2	23.5	30.5	20.0	4.0	11.5
BHML-0405	R1/4	8.8	23.5	30.5	20.0	5.5	11.5
BHML-0406	R1/4	10.4	23.5	31.0	20.0	7.0	11.5
BHML-0408	R1/4	13.5	23.0	30.5	20.0	8.0	13
BHML-0410	R1/4	16.7	27.0	35.5	20.0	8.0	15
BHML-0604	R3/8	7.2	23.5	30.0	20.0	4.0	11
BHML-0605	R3/8	8.8	23.5	30.0	20.0	5.5	11
BHML-06	R3/8	10.4	23.5	30.0	20.0	7.0	11
BHML-0608	R3/8	13.5	25.5	34.0	20.0	9.5	15
BHML-0610	R3/8	16.7	25.5	35.5	20.0	10.5	15
BHML-0804	R1/2	7.2	31.0	33.5	20.0	4.0	15
BHML-0805	R1/2	8.8	31.0	33.5	20.0	5.5	15
BHML-0806	R1/2	10.5	31.0	33.5	20.0	7.0	15
BHML-08	R1/2	13.5	30.0	33.5	20.0	9.5	15
BHML-0810	R1/2	16.7	30.5	35.5	20.0	11.0	15
BHML-0812	R1/2	19.9	32.0	39.0	25.5	13.0	17
BHML-1208	R3/4	13.5	34.5	43.0	26.0	8.0	25.5
BHML-1210	R3/4	16.7	34.5	50.0	32.5	11.0	25.5
BHML-12	R3/4	19.9	34.5	50.0	32.5	14.0	25.5
BHML-1216	R3/4	26.2	34.5	50.5	31.5	19.0	26.5
BHML-1612	R1	19.9	44.0	50.5	32.5	14.0	31.5
BHML-16	R1	26.2	44.0	50.5	32.5	19.0	31.5
BHML-1620	R1	32.6	44.0	50.5	31.0	24.0	31.5

メスホースニップル


材質：C3604 / 単位：mm



品 番	T	D	L1	L2	d	HEX
BHF-02C	Rc1/8	7.0	31.0	20.0	4.0	14
BHF-0204	Rc1/8	7.2	32.0	20.0	4.0	12
BHF-02D	Rc1/8	8.0	32.0	21.0	5.0	14
BHF-0205	Rc1/8	8.8	32.0	20.0	5.5	12
BHF-02E	Rc1/8	9.0	32.0	21.0	6.0	14
BHF-0206	Rc1/8	10.4	32.0	20.0	7.0	12
BHF-0403	Rc1/4	5.6	27.0	12.0	3.0	17
BHF-04C	Rc1/4	7.0	37.0	23.0	4.0	17
BHF-04	Rc1/4	7.2	35.0	20.0	4.0	17
BHF-04D	Rc1/4	8.0	38.0	24.0	5.0	17
BHF-0405	Rc1/4	8.8	35.0	20.0	5.5	17
BHF-04E	Rc1/4	9.0	38.0	24.0	6.0	17
BHF-04F	Rc1/4	9.5	38.0	24.0	6.0	17
BHF-0406	Rc1/4	10.4	35.0	20.0	7.0	17
BHF-04G	Rc1/4	10.5	38.0	24.0	7.0	17
BHF-0408	Rc1/4	13.5	35.0	20.0	9.5	17
BHF-06C	Rc3/8	7.0	38.0	23.0	4.0	21
BHF-0604	Rc3/8	7.2	37.0	22.0	4.0	21
BHF-06D	Rc3/8	8.0	39.0	24.0	4.5	21
BHF-0605	Rc3/8	8.8	35.0	20.0	5.5	21
BHF-06E	Rc3/8	9.0	39.0	24.0	5.5	21
BHF-06F	Rc3/8	9.5	39.0	24.0	6.0	21
BHF-06	Rc3/8	10.4	35.0	20.0	7.0	21
BHF-06G	Rc3/8	10.5	40.0	25.0	7.0	21
BHF-06J	Rc3/8	12.7	43.0	28.0	8.5	21
BHF-0608	Rc3/8	13.5	35.0	20.0	9.5	21
BHF-06K	Rc3/8	14.0	43.0	28.0	9.5	21
BHF-0804	Rc1/2	7.2	40.0	22.0	4.0	24
BHF-0805	Rc1/2	8.8	38.0	20.0	5.5	24
BHF-08F	Rc1/2	9.5	42.0	24.0	6.0	24
BHF-0806	Rc1/2	10.4	38.0	20.0	7.0	24
BHF-08G	Rc1/2	10.5	43.0	25.0	7.0	24
BHF-08J	Rc1/2	12.7	46.0	28.0	8.5	24
BHF-08	Rc1/2	13.5	38.0	20.0	9.5	24
BHF-08K	Rc1/2	14.0	46.0	28.0	9.5	24
BHF-08L	Rc1/2	16.0	46.0	28.0	11.5	24


メスホースニップル(エルボタイプ)

材質：C3771 / 単位：mm



品 番	T	D	L1	L2	L3	d	HEX
BHFL-04	Rc1/4	7.2	26.0	30.0	20.0	4.0	11
BHFL-0405	Rc1/4	8.8	26.0	30.5	20.0	5.5	11
BHFL-0406	Rc1/4	10.4	26.0	30.5	20.0	7.0	11
BHFL-06	Rc3/8	10.4	31.5	33.5	20.0	7.0	15
BHFL-0608	Rc3/8	13.5	31.5	33.5	20.0	9.5	15


ホースコネクター



材質：C3604 / 単位：mm

品 番	T1	T2	D	L1	L2	d1	d2	H1	H2
BHC-02C	R1/8	G1/8	7.0	43.0	19.0	5.0	4.0	12	12
BHC-04C	R1/4	G1/4	7.0	54.0	22.0	7.0	4.0	14	16
BHC-04D	R1/4	G1/4	8.0	54.0	22.0	7.0	5.0	14	16
BHC-04E	R1/4	G1/4	9.0	54.0	22.0	7.0	5.5	14	16
BHC-04F	R1/4	G3/8	9.5	60.0	25.0	7.0	6.5	17	19
BHC-04G	R1/4	G3/8	10.5	60.0	25.0	7.0	6.5	17	19
BHC-06C	R3/8	G1/4	7.0	56.0	22.0	7.0	4.0	17	16
BHC-06D	R3/8	G1/4	8.0	56.0	22.0	7.0	5.0	17	16
BHC-06E	R3/8	G1/4	9.0	56.0	22.0	7.0	5.5	17	16
BHC-06F	R3/8	G3/8	9.5	61.0	25.0	9.0	6.5	17	19
BHC-06G	R3/8	G3/8	10.5	61.0	25.0	9.0	6.5	17	19
BHC-06J	R3/8	G1/2	12.7	69.0	31.0	10.0	8.5	22	24
BHC-06K	R3/8	G1/2	14.0	69.0	31.0	10.0	9.5	22	24
BHC-08F	R1/2	G3/8	9.5	64.0	25.0	9.0	6.5	22	19
BHC-08G	R1/2	G3/8	10.5	64.0	25.0	9.0	6.5	22	19
BHC-08J	R1/2	G1/2	12.7	71.0	31.0	13.0	8.5	22	24
BHC-08K	R1/2	G1/2	14.0	71.0	31.0	13.0	9.5	22	24
BHC-08L	R1/2	G1/2	16.0	71.0	31.0	13.0	11.0	22	24
BHC-12M	R3/4	G3/4	20.5	83.0	37.0	18.0	15.0	27	30
BHC-16N	R1	G1	27.0	101.0	46.0	24.0	19.5	35	38
BHC-20P	R1,1/4	G1,1/4	34.0	114.0	48.0	29.0	26.0	45	46
BHC-24R	R1,1/2	G1,1/2	40.0	124.0	55.0	36.0	32.0	50	54
BHC-32S	R2	G2	52.0	138.0	59.0	46.0	42.0	65	67

ホースコネクター (Wタイプ)




材質：C3604 / 単位：mm

品 番	T	D	L1	L2	d	H1	H2
BHW-02C	G1/8	7.0	63.0	19.0	4.0	12	12
BHW-04C	G1/4	7.0	82.0	22.0	4.0	14	16
BHW-04D	G1/4	8.0	82.0	22.0	5.0	14	16
BHW-04E	G1/4	9.0	82.0	22.0	5.5	14	16
BHW-06F	G3/8	9.5	93.0	25.0	6.5	17	19
BHW-06G	G3/8	10.5	93.0	25.0	6.5	17	19
BHW-08J	G1/2	12.7	108.0	31.0	8.5	22	24
BHW-08K	G1/2	14.0	108.0	31.0	9.5	22	24
BHW-08L	G1/2	16.0	108.0	31.0	11.0	22	24
BHW-12M	G3/4	20.5	127.0	37.0	15.0	27	30
BHW-16N	G1	27.0	154.0	46.0	19.5	35	38

ホースコネクター (45°タイプ)


材質：C3604, C3771 / 単位：mm



品 番	T1	T2	D	L1	L2	L3	d1	d2	HEX
BHLA-02C	R1/8	G1/8	7.0	20.0	38.5	19.0	5.0	4.0	12
BHLA-02D	R1/8	G1/4	8.0	21.0	45.0	22.0	5.0	5.0	16
BHLA-02E	R1/8	G1/4	9.0	21.0	45.0	22.0	5.0	5.5	16
BHLA-04C	R1/4	G1/4	7.0	21.0	45.0	22.0	7.0	4.0	16
BHLA-04D	R1/4	G1/4	8.0	21.0	45.0	22.0	7.0	5.0	16
BHLA-04E	R1/4	G1/4	9.0	21.0	45.0	22.0	7.0	5.5	16
BHLA-04F	R1/4	G3/8	9.5	25.0	51.0	25.0	7.0	6.5	19
BHLA-04G	R1/4	G3/8	10.5	25.0	51.0	25.0	7.0	6.5	19
BHLA-06C	R3/8	G1/4	7.0	25.0	46.5	22.0	10.0	4.0	16
BHLA-06D	R3/8	G1/4	8.0	25.0	46.5	22.0	10.0	5.0	16
BHLA-06E	R3/8	G1/4	9.0	25.0	46.5	22.0	10.0	5.5	16
BHLA-06F	R3/8	G3/8	9.5	25.0	51.0	25.0	10.0	6.5	19
BHLA-06G	R3/8	G3/8	10.5	25.0	51.0	25.0	10.0	6.5	19
BHLA-06J	R3/8	G1/2	12.7	30.0	58.0	31.0	10.0	8.5	24
BHLA-06K	R3/8	G1/2	14.0	30.0	58.0	31.0	10.0	9.5	24
BHLA-08F	R1/2	G3/8	9.5	30.0	51.0	25.0	13.0	6.5	19
BHLA-08G	R1/2	G3/8	10.5	30.0	51.0	25.0	13.0	6.5	19
BHLA-08J	R1/2	G1/2	12.7	30.0	58.0	31.0	13.0	8.5	24
BHLA-08K	R1/2	G1/2	14.0	30.0	58.0	31.0	13.0	9.5	24
BHLA-08L	R1/2	G1/2	16.0	30.0	58.0	31.0	13.0	11.0	24

ホースコネクター (90°タイプ)


材質：C3604, C3771 / 単位：mm



品 番	T1	T2	D	L1	L2	L3	d1	d2	HEX
BHLB-02C	R1/8	G1/8	7.0	20.0	42.5	19.0	5.0	4.0	12
BHLB-02D	R1/8	G1/4	8.0	23.0	51.0	22.0	5.0	5.0	16
BHLB-02E	R1/8	G1/4	9.0	23.0	51.0	22.0	5.0	5.5	16
BHLB-04C	R1/4	G1/4	7.0	23.0	51.0	22.0	7.0	4.0	16
BHLB-04D	R1/4	G1/4	8.0	23.0	51.0	22.0	7.0	5.0	16
BHLB-04E	R1/4	G1/4	9.0	23.0	51.0	22.0	7.0	5.5	16
BHLB-04F	R1/4	G3/8	9.5	26.0	57.0	25.0	7.0	6.5	19
BHLB-04G	R1/4	G3/8	10.5	26.0	57.0	25.0	7.0	6.5	19
BHLB-06C	R3/8	G1/4	7.0	26.0	54.0	22.0	10.0	4.0	16
BHLB-06D	R3/8	G1/4	8.0	26.0	54.0	22.0	10.0	5.0	16
BHLB-06E	R3/8	G1/4	9.0	26.0	54.0	22.0	10.0	5.5	16
BHLB-06F	R3/8	G3/8	9.5	26.0	57.0	25.0	10.0	6.5	19
BHLB-06G	R3/8	G3/8	10.5	26.0	57.0	25.0	10.0	6.5	19
BHLB-06J	R3/8	G1/2	12.7	32.0	69.0	31.0	10.0	8.5	24
BHLB-06K	R3/8	G1/2	14.0	32.0	69.0	31.0	10.0	9.5	24
BHLB-08F	R1/2	G3/8	9.5	32.0	61.0	25.0	13.0	6.5	19
BHLB-08G	R1/2	G3/8	10.5	32.0	61.0	25.0	13.0	6.5	19
BHLB-08J	R1/2	G1/2	12.7	32.0	69.0	31.0	13.0	8.5	24
BHLB-08K	R1/2	G1/2	14.0	32.0	69.0	31.0	13.0	9.5	24
BHLB-08L	R1/2	G1/2	16.0	32.0	69.0	31.0	13.0	11.0	24

ホースコネクター用ナット


材質：C3604 / 単位：mm



品 番	T	D	メ/コ適用外径	L	HEX
BHN-02C	G1/8	7.3	7.0	8.0	12
BHN-04C	G1/4	7.5	7.0	13.0	16
BHN-04D	G1/4	8.5	8.0	13.0	16
BHN-04E	G1/4	9.5	9.0	13.0	16
BHN-06F	G3/8	10.0	9.5	14.0	19
BHN-06G	G3/8	11.0	10.5	14.0	19
BHN-08J	G1/2	13.2	12.7	15.0	24
BHN-08K	G1/2	14.5	14.0	15.0	24
BHN-08L	G1/2	16.5	16.0	15.0	24
BHN-12M	G3/4	21.0	20.5	17.0	30
BHN-16N	G1	28.0	27.0	22.0	38
BHN-20P	G1,1/4	35.0	34.0	26.0	46
BHN-24R	G1,1/2	41.0	40.0	27.0	54
BHN-32S	G2	53.0	52.0	32.0	67

ホースコネクター用スリーブ

材質：C3604 / 単位：mm



品 番	D	L
BHS-02C	7.0	24.0
BHS-04C	7.0	33.0
BHS-04D	8.0	33.0
BHS-04E	9.0	33.0
BHS-06F	9.5	35.0
BHS-06G	10.5	35.0
BHS-08J	12.7	41.0
BHS-08K	14.0	41.0
BHS-08L	16.0	41.0
BHS-12M	20.5	48.0
BHS-16N	27.0	58.0
BHS-20P	34.0	64.0
BHS-24R	40.0	73.0
BHS-32S	52.0	77.0


ホースジョイント

材質：C3604 / 単位：mm



品 番	D	L	d
BHJ-03	5.5	45.0	3.0
BHJ-04A	6.0	50.0	3.0
BHJ-04	7.0	45.5	4.0
BHJ-04B	7.0	50.0	4.0
BHJ-05A	8.0	55.0	5.0
BHJ-05	9.0	55.0	5.5
BHJ-06A	10.0	60.0	7.0
BHJ-06	10.5	55.0	7.0
BHJ-06B	11.0	60.0	7.5
BHJ-08A	12.0	65.0	8.0
BHJ-08	13.5	55.0	9.5
BHJ-08B	14.0	65.0	9.5
BHJ-10A	16.0	70.0	12.0
BHJ-10	16.7	60.0	12.0
BHJ-12	19.9	60.0	14.0
BHJ-12A	20.0	80.0	15.0
BHJ-16A	27.0	90.0	20.0


ホースジョイント（Tタイプ）



材質：C3771 / 単位：mm

品 番	D	L1	L2	d
BHJT-02	4.0	21.5	14.0	2.0
BHJT-03	5.6	22.0	14.5	3.0
BHJT-04	7.2	22.0	14.5	4.0
BHJT-05	8.8	29.0	20.0	5.5
BHJT-06	10.4	29.0	20.0	7.0
BHJT-08	13.5	29.0	20.0	9.5
BHJT-10	16.7	33.5	23.0	12.0
BHJT-12	19.9	35.0	23.0	15.0

ホースジョイント（Yタイプ）



材質：C3771 / 単位：mm

品 番	D	L1	L2	d
※ BHJY-04A	6.0	31.0	22.5	3.0
※ BHJY-04B	7.0	31.0	22.5	4.0
BHJY-04	7.2	29.0	20.0	4.0
※ BHJY-05A	8.0	39.0	29.5	4.5
BHJY-05	8.8	29.0	20.0	5.5
※ BHJY-05B	9.0	39.0	29.5	5.5
BHJY-06	10.4	30.0	20.0	7.0
※ BHJY-06A	10.5	40.0	29.5	6.5
BHJY-08	13.5	31.0	20.0	9.5
※ BHJY-08A	14.0	45.0	31.0	9.0
BHJY-10	16.7	33.5	23.0	12.0

※印の付いた製品は材質がC3604でニッケルメッキ付となります。